

Close

Ferme un objet.

```
tell application "QuarkXPress 3.32"  
  close window 1  
  close master document "Kristy"  
  close document "Kristy"  
end tell
```

Copy

Copie la sélection courante dans le presse-papier.

```
copy image 1 of picture box 1 of document 1 to its clipboard
```

Count

Retourne le nombre d'éléments appartenant à une classe particulière et se trouvant au sein d'un objet.

```
tell application "QuarkXPress 3.32"  
  countof character in word 1  
  countof character in line 2  
  countof word in paragraph 1  
  countof paragraph in story 1  
  countof word in text 1  
  countof color spec in default document 1  
  countof word in generic box 1  
  countof story in master document 1  
  countof picture box in page 1  
  countof image in picture box 1  
  countof text box in spread 1  
  countof word in text box "Gene"  
  countof paragraph in text style range 1  
  countof story in document 1  
  countof document of application  
end tell
```

Data Size

Retourne la taille, exprimée en "octet"s, d'un objet.

```
tell application "QuarkXPress 3.32"  
  data sizeof name of window 1 as integer  
  data sizeof style of character 1  
  data sizeof track of line 1 as integer  
  data sizeof leading of paragraph 3 as integer  
  data sizeof height of text 2 as integer  
  data sizeof font of word 1 as integer  
  data sizeof name of color spec "Mountain Purple" as integer  
  data sizeof view scale of default document as integer  
  data sizeof rotation of generic box 1 as integer  
  data sizeof name of h and j spec "standard" as integer  
  data sizeof position of horizontal guide 2 as integer  
  data sizeof image scale of image "Bag.Tiff" as integer  
  data sizeof line width of line box 1 as integer
```

data size**of** name **of** master document 1 as integer
data size**of** top margin **of** page 2 as integer
data size**of** corner radius **of** picture box 1 as integer
data size**of** number of pages **of** spread 1 as integer
data size**of** name **of** style spec "Enhanced" as integer
data size**of** text inset **of** text box "Gene" as integer
data size**of** font **of** text style range 1 as integer
data size**of** scale **of** vertical guide 1 as integer
data size**of** name **of** document 1 as integer
data size**of** name **of** application "QuarkXPress 3.32"
end tell

Delete

Supprime un élément d'un objet.

tell application "QuarkXPress 3.32"
delete character 1
delete line 1
delete paragraph 1
delete story 1
delete text 1
delete word 1
delete color spec "New Color"
delete generic box 2
delete horizontal guide 1
delete image 1
delete line box 1
delete page 2
delete picture box "Zaza"
deletel**ast** spread
delete style spec "BodyCopy"
delete text box "Ralph"
delete text style range 1
delete vertical guide 1
end tell

tell application "QuarkXPress 3.32"
 tell document "monfichier"
 tell every picture box
 delet**every** image
 end tell
 end tell
end tell

Duplicate

Duplique un ou plusieurs objets.

tell application "QuarkXPress 3.32"
duplicate character 1 to**after** character 2
duplicate line 1 to**after** line 3
duplicate paragraph 4 to**before** paragraph 1
duplicate story 1 to**after** story 2
duplicate text 1 to**after** text 2

duplicate word "Fils de" **tobefore** "Albert"
duplicate color spec "Red" **toafter** color spec
duplicate generic box 10 **tobefore** generic box 1
duplicate horizontal guide 1 **toafter** horizontal guide 10
— *duplicate image "Bag.Tiff" to replace image "Sacs"*
duplicate line box 2 **tobefore** line box 1
duplicate page 3 **toafter** page 5
duplicate picture box 4 **tobefore** picture box 2
duplicate spread 1 **toafter** spread 6
duplicate style spec "Enhanced" **toafter** style spec 3
duplicate text box 10 **tobefore** text box 1
duplicate text style range 1 **toafter** text style range 2
duplicate vertical guide 1 **toafter** vertical guide 5
end tell

Make

Crée un nouvel élément.

tell application "QuarkXPress 3.32"
make line **atbeginning**
make paragraph **atend**
make story **atbeginning**
make text **atend**
make word **atbeginning** with data "Bleu"
make color spec **atbeginning**
make horizontal guide **atbeginning**
make line box **atbeginning**
make master document **atbeginning**
make page **atbeginning**
make picture box **atend**
make spread **atend**
make style spec **atbeginning**
make text box **atbeginning of** spread 2
make text style range **atend**
make vertical guide **atbeginning**
make document **atbeginning**
end tell

Move

Déplace un ou plusieurs objets vers un nouvel emplacement.

tell application "QuarkXPress 3.32"
move character 1 **toafter** character 3
move line 1 **toafter** line 3
move paragraph 1 **toafter** paragraph 3
move story 1 **toafter** story 2
move word 1 **toafter** word 3
move color spec "Red" **toafter** color spec
move generic box "Linda" **toafter last** generic box
move horizontal guide 1 **toafter** horizontal guide 3
move line box "Deborah" **tobefore** line box "Jay"
move page 3 **tobefore** page 1
move picture box 1 **toafter** picture box "Tim"
move spread 1 **toafter** spread 2
move style spec "Enhanced" **tobefore** style spec 1

move**last** text box to **before first** text box
move text style range 1 to**after** text style range 3
move vertical guide 1 to**after** vertical guide 3
end tell

Open

Ouvre un ou plusieurs objets spécifiés.

```
tell application "QuarkXPress 3.32"  
open master document "Test" use doc prefs yes remap fonts ask do auto picture import ask  
  
open document "Test" use doc prefs yes remap fonts ask do auto picture import ask  
end tell
```

Print

Imprime un ou plusieurs objets.

```
tell application "QuarkXPress 3.32"  
printevery master document  
printevery document  
end tell
```

Save

Sauve un objet.

```
tell application "QuarkXPress 3.32"  
save line 1 as "text" in file "gwen:MonFichier"  
save story 1 as "TEXT"  
save word "Bleu" as "TEXT"  
save master document 1 in "Document en construction"  
save page 1 in "1" as "EPSF" EPS format mac EPS data ASCIIEPSwith color  
save text style range 1 as "TEXT"  
save document 1 in "Document en construction"  
end tell
```

Show

Affiche un objet.

```
tell application "QuarkXPress 3.32"  
show window 2  
showlast character  
show paragraph 1  
show story 1  
show text 1  
show word 5  
show generic box "Kelly"  
show image "Bag.Tiff"  
show line box "Fred"  
show first page  
showlast picture box  
showmiddle spread  
show text box "Rob"  
show text style range 1
```

show**middle** document

end tell